



PRODUCT INFORMATION StepByStep-III_TY_US - 27.01.2021 - www.vs-furniture.com

StepByStep-III Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table heights in 6 steps in accordance with DIN EN 1729. Height adjustment in steps with hexagon key or hand-wheel.

Table top made from melamine-resin-coated chipboard. With a seamlessly cast-on safety edge, a cast-in storage shell and an integrated stop rail, each made from (PUR) polyurethane.



Features of top. Maintenance-free, working surface inclinable in steps (0°; 5°; 10°; 16°; 20°) with horizontal shelf.

Accessories and options. Glides for hard and soft floors and briefcase (satchel) hooks. Plywood or grid bookshelf or chair suspension for all VS school chairs (PantoSwing up to size 4).

Important notice. The table height can vary slightly depending on the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of chipboard with PUR: L2.

Further products on this page: PantoMove-LuPo.

		Size as per DIN EN 1729		
		h = 20 $\frac{7}{8}$ ● 2		
		h = 23 $\frac{1}{4}$ ● 3		
		h = 25 $\frac{1}{4}$ ● 4		
		h = 28 ● 5		
		h = 30 ● 6		
		h = 32 $\frac{3}{8}$ ● 7		
StepByStep III	Chipboard-PUR	d = 25%		
		w	02997 29 $\frac{1}{2}$	02998 51 $\frac{1}{4}$
		h DIN EN	2-3-4-5-6-7	