



PRODUCT INFORMATION StepByStep-I_TY_US - 27.01.2021 - www.vs-furniture.com

StepByStep-I Skid table, adjustable in height.

Frame of powder-coated steel tube with asymmetrically-positioned legs (cantilever) on steel skids with kicking protection. All steel tubes in round profile.

Table heights in 6 steps in accordance with DIN EN 1729. Height adjustment in steps with Allen-key or hand-wheel.

Table top made from melamine-resin-coated chipboard with a seamlessly cast-on safety edge made from (PUR) polyurethane. Optionally with an extremely robust LIGNOdur safety top with softly rounded edges. Features of top. Fixed horizontal working surface.

Accessories and options. Also with lattice-type book storage, plastic box or different kinds of chair suspension. Important notice. The table height can vary slightly depending on the type of top and the glides. PUR edges are extremely robust, but can show signs of discoloration over time.

The following material groups are available to choose from: Frame made of steel tube: M1; Top made of LIGNOdur: L1; Top made of chipboard with PUR edge: L2.

Further products on this page: PantoSwing-LuPo.

		Size as per DIN EN 1729 h = 20% • 2 h = 2314 • 3 h = 2514 • 4 h = 28 • 5 h = 30 • 6 h = 32% • 7		R	N		
StepByStep I	LIGNOdur	d = 19 ³ / ₄		02904	02905		
		d = 255/8	02901				
	Chipboard-PUR	d = 255/8				02993	02994
		W	291/2	275/8	511/4	291/2	511/4
		h DIN EN			2-7		